



**PO Box 1700  
Snohomish, WA USA 98291  
(425) 293-5763**

## **WAM B-702**

### **Boiler Treatment**

#### **Application**

WAM B-702 is a strong alkaline product for prevention of scale and corrosion on the waterside of boilers. This formula works well with phosphate or chelate boiler water programs.

#### **Dosage**

Exact dosages will depend on operating pressure, water hardness and alkalinity, amount of condensate return, etc. Consult your Waterside Asset Management representative for assistance.

#### **Feeding**

WAM B-702 can be fed from the drum or added to water in a mix tank. It should be fed directly to the boiler. This product should not be fed upstream of non-ferrous fittings.

#### **Packaging**

Available in polyethylene drums and totes.

#### **Technical Data**

Form	Liquid
Color	Colorless
Specific Gravity (g/mL)	1.312
Density lb/gal (kg/L)	10.90 (1.31)
pH (neat)	> 13
pH (1% solution)	12.3 to 13.3

Acceptable for use in food processing plants as determined in 21CFR Section 173.310, Food and Drug. This product is constructed with materials previously authorized by the USDA for use in federally inspected meat and poultry plants.

#### **Safety Data**

Do not open this container or use its contents without first reading the material safety data sheet. If one is not available, call (425) 293-5763 for a replacement.

*March 7, 2006/ WBWT7AB-SF*